

MasterWeld

MSDS - PK

(3B)_

Page 1 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

MasterWeld 60 PK / MasterWeld 210 PK

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

2-K adhesive polyol component

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet



Wayside Adhesives Ltd - 01159 33 33 21

Qualified person's e-mail address: info@waysideadhesives.com. Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

01159 33 33 21

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

Polyhydric alcohols

Amines

3.1 Substance

n.a.

3.2 Mixture

--



Page 2 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

Registration number (REACH)	
Index	·-
EINECS, ELINCS, NLP	-
CAS	-
Classification according to Regulation (EC) 1272/2008 (CLP)	
Classification according to regulation (EG) 12/2/2000 (GEI)	

SECTION 4: First aid measures

4.1 Description of first aid measures

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Eye wash

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Small fire:

Dry extinguisher

CO2

Large fire:

Water jet spray

Foam

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Page 3 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

Or:

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store separately from acids.

Protect against moisture and store closed.

Store in a well ventilated place.

Store cool.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

TalcChemical Name			Content %:
WEL-TWA: 1 mg/m3 (res. dust)	WEL-STEL:		
Monitoring procedures:	-		
BMGV:		Other information:	
	10		
Silica, amorphousChemical Name			Content %:
WEL-TWA: 6 mg/m3 (total inh. dust), 2,4 mg/m3WEL-STEL	<u></u>		
(resp. dust)			
Monitoring procedures:			
BMGV:	2	Other information:	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

Page 4 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

Oxydipropanol	T-	77	-	1	1	- 1
Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater	74	PNEC	0,1	mg/l	
	Environment - marine		PNEC	0,01	mg/l	J.
	Environment - sporadic (intermittent) release Environment - sewage		PNEC	1	mg/l	
	treatment plant Environment - sediment,	(c)	PNEC	1000	mg/l	
	freshwater Environment - marine		PNEC	0,238	mg/kg	
	Environment - soil	200	PNEC	0,0238	mg/kg	37
	Environment - oral (animal	8	PNEC	0,0253	mg/kg	9
	feed) Human - dermal		PNEC	313	mg/kg	
Consumer		Long term, systemic effects	DNEL	51	mg/kg	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	70	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	24	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects Long term, systemic	DNEL	84	mg/kg	
Workers / employees	Human - inhalation	effects	DNEL	238	mg/m3	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

If applicable

Protective nitrile gloves (EN 374)

Minimum layer thickness in mm:

>= 0,35

Permeation time (penetration time) in minutes:

>= 480

The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Page 5 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

Respiratory protection:

If air supply is not sufficient, wear protective breathing apparatus.

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Paste, Liquid Colour: White Odour: Slightly Odour threshold: Not determined pH-value: Not determined Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined Not determined Flash point: Evaporation rate: Not determined

Flammability (solid, gas):

Lower explosive limit:

Upper explosive limit:

Vapour pressure:

Vapour density (air = 1):

Density:

Bulk density:

Not determined

Not determined

1,21 g/ml

n.a.

Solubility(ies):
Water solubility:
Insoluble
Partition coefficient (n-octanol/water):
Auto-ignition temperature:
Decomposition temperature:
Viscosity:
Not determined
Not determined
Not determined
Viscosity:
50000 mPas

Explosive properties: Product is not explosive.

Oxidising properties: No

9.2 Other information

Miscibility:

Fat solubility / solvent:

Conductivity:

Not determined

Not determined

Not determined

Not determined

Solvents content:

Not determined

Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

(GR)

Page 6 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016

PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

No dangerous reactions are known.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

See also section 7.

None known

10.5 Incompatible materials

See also section 7.

Avoid contact with strong acids.

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effectEndpoi ValueUni nt	tOrganism			Test method	Notes
Acute toxicity, by oral route:					
Acute toxicity, by dermalATE>20	000ma/ka				n.d.a.
route:	3.13		25		calculated value
Acute toxicity, by inhalation:ATE	:>5mg/l/4h	a.	8 8		-
,,,,					calculated value, Aerosol
Acute toxicity, by inhalation:	TDLo	>20	mg/l/4h		calculated value, Vapours
Skin corrosion/irritation:			9 1		n.d.a.
Serious eye damage/irritation:					n.d.a.
Respiratory or skin sensitisation:					n.d.a.
Germ cell mutagenicity:	- 1	\$4		9	n.d.a.
Carcinogenicity:	18				n.d.a.
Reproductive toxicity:	+	4		-	n.d.a.
<u>Specific target organ toxicity -</u> single exposure (STOT-SE): Specific target organ toxicity -			5 0		n.d.a.
repeated exposure (STOT- RE): Aspiration hazard:					n.d.a.
Symptoms:	100	27			To do
					n.d.a.
		9	(3) (4)	9	n.d.a.

Talc	44			40	22	40
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Skin corrosion/irritation: Serious eye damage/irritation:			3			Not irritant Not irritant
Respiratory or skin sensitisation:						Not sensitizising
Germ cell mutagenicity: Carcinogenicity:			1.0%	* 8		Negative
Reproductive toxicity:			3			Negative
Symptoms:			200	Rat	50	Negative
						mucous membrane irritation

Silica,	amor	phous

Page 7 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>0,691	mg/l/4h	Rat		18 -20
Skin corrosion/irritation:			58		OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:						Not irritant
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

PLASTGRIP 90 PK / PLASTGRIP 210 PK	,	
Toxicity / effectEndpointTimeValueUnitOrganism	Test method	Notes
12.1. Toxicity to fish:	m 10	n.d.a.
12.1. Toxicity to		n.d.a.
daphnia:		
12.1. Toxicity to algae:	7	n.d.a.
12.2. Persistence and		n.d.a.
degradability:		II.u.a.
12.3. Bioaccumulative		
potential:		n.d.a.
12.4. Mobility in soil:		
12.5. Results of PBT		n.d.a.
and vPvB assessment 12.6. Other adverse		n.d.a.
effects: Other information:		n.d.a.
		According to the recipe, contains no AOX.

Talc							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Water solubility:	- 10		< 0,1	%			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.



Page 8 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ (ADR 2015):n.a.

14.5. Environmental hazards:

Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a.

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):
14.4. Packing group:
n.a.

14.5. Environmental hazards:

Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2.

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):5,99 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Any abbreviations and acronyms used in this document:

ACArticle Categories

acc., acc. toaccording, according to

Page 9 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds

approx.approximately

Art., Art. no.Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)

BMGV Biological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bwbody weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPAC Collaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dwdry weight

e.g.for example (abbreviation of Latin 'exempli gratia'), for instance

ECEuropean Community

ECHA European Chemicals Agency

EEA European Economic Area

EEC European Economic Community

EINECSEuropean Inventory of Existing Commercial Chemical Substances

ELINCSEuropean List of Notified Chemical Substances

ENEuropean Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ESExposure scenario

etc.et cetera

EUEuropean Union

EWC European Waste Catalogue

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAMHen's Egg Test - Chorionallantoic Membrane HGWP Halocarbon Global Warming Potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBCIntermediate Bulk Container

IBC (Code)International Bulk Chemical (Code)

ICInhibitory concentration

IMDG-codeInternational Maritime Code for Dangerous Goods

incl.including, inclusive

IUCLIDInternational Uniform Chemical Information Database

LClethal concentration

LC50 lethal concentration 50 percent kill

Page 10 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 03.06.2016 / 0004

Replacing version dated / version: 05.09.2013 / 0003

Valid from: 03.06.2016 PDF print date: 07.06.2016

MasterWeld 60 PK / MasterWeld 210 PK

LCLo lowest published lethal concentration

LDLethal Dose of a chemical LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low

LOAELLowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level

LQLimited Quantities

MARPOLInternational Convention for the Prevention of Marine Pollution from Ships

n.a.not applicable n.av. not available n.c.not checked

n.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAECNo Observed Adverse Effective Concentration

NOAELNo Observed Adverse Effect Level NOEC No Observed Effect Concentration

NOEL No Observed Effect Level **ODP Ozone Depletion Potential**

OECD Organisation for Economic Co-operation and Development

org.organic

PAH polycyclic aromatic hydrocarbon

PBT persistent, bioaccumulative and toxic

PCChemical product category

PEPolyethylene

PNEC Predicted No Effect Concentration

POCP Photochemical ozone creation potential

ppm parts per million PROC Process category

PTFE Polytetrafluorethylene

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning

the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No.9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission

RIDRèglement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SUSector of use

SVHC Substances of Very High Concern

Tel.Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

UN RTDGUnited Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period)

WHO World Health Organization

wwtwet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90